

SonarQube Scan Report: sawis_api

Scan Information

Repository	sawis_api
Scan Date	2026-04-21 02:19:38
Status	Failed

Error Details

Error: ERROR: Error during SonarScanner execution
org.springframework.beans.factory.UnsatisfiedDependencyException: Error creating bean with name 'org.sonarsource.scanner.api.internal.IsolatedClassLoader@cd3fee8-org.sonar.scanner.bootstrap.ScannerPluginRepository': Unsatisfied dependency expressed through constructor parameter 0: Error creating bean with name 'org.sonarsource.scanner.api.internal.IsolatedClassLoader@cd3fee8-org.sonar.scanner.bootstrap.ScannerPluginInstaller': Unsatisfied dependency expressed through constructor parameter 0: Error creating bean with name 'org.sonarsource.scanner.api.internal.IsolatedClassLoader@cd3fee8-org.sonar.scanner.bootstrap.PluginFiles': Unsatisfied dependency expressed through constructor parameter 1: Error creating bean with name 'GlobalConfiguration' defined in org.sonar.scanner.bootstrap.GlobalConfigurationProvider: Unsatisfied dependency expressed through method 'provide' parameter 0: Error creating bean with name 'GlobalServerSettings' defined in org.sonar.scanner.bootstrap.GlobalServerSettingsProvider: Failed to instantiate [org.sonar.scanner.bootstrap.GlobalServerSettings]: Factory method 'provide' threw exception with message: Error 500 on https://scan.appmonitor.co.za/api/settings/values.protobuf : HTTP Status 500 – Internal Server Errorbody {font-family:Tahoma,Arial,sans-serif;} h1, h2, h3, b {color:white;background-color:#525D76;} h1 {font-size:22px;} h2 {font-size:16px;} h3 {font-size:14px;} p {font-size:12px;} a {color:black;} .line {height:1px;background-color:#525D76;border:none;}HTTP Status 500 – Internal Server Error at org.springframework.beans.factory.support.ConstructorResolver.createArgumentArray(ConstructorResolver.java:804) at org.springframework.beans.factory.support.ConstructorResolver.autowireConstructor(ConstructorResolver.java:240) at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.autowireConstructor(AbstractAutowireCapableBeanFactory.java:1382) at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBeanInstance(AbstractAutowireCapableBeanFactory.java:1221) at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(AbstractAutowireCapableBeanFactory.java:565) at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:525) at org.springframework.beans.factory.support.AbstractBeanFactory.lambda\$doGetBean\$0(AbstractBeanFactory.java:333) at org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(DefaultSingletonBeanRegistry.java:371) at org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanFactory.java:331) at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:196) at org.springframework.beans.factory.support.DefaultListableBeanFactory.instantiateSingleton(DefaultListableBeanFactory.java:1218) at org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstantiateSingleton(DefaultListableBeanFactory.java:1184) at org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstantiateSingletons(DefaultListableBeanFactory.java:1121) at org.springframework.context.support.AbstractApplicationContext.finishBeanFactoryInitialization(AbstractApplicationContext.java:993) at org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplicationContext.java:620) at org.sonar.core.platform.SpringComponentContainer.startComponents(SpringComponentContainer.java:226) at org.sonar.core.platform.SpringComponentContainer.execute(SpringComponentContainer.java:206) at org.sonar.batch.bootstrapper.Batch.doExecute(Batch.java:73) at

org.sonar.batch.bootstrapper.Batch.execute(Batch.java:67) at
org.sonarsource.scanner.api.internal.batch.BatchIsolatedLauncher.execute(BatchIsolatedLauncher.java:46) at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(Unknown Source) at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source) at
java.base/java.lang.reflect.Method.invoke(Unknown Source) at
org.sonarsource.scanner.api.internal.IsolatedLauncherProxy.invoke(IsolatedLauncherProxy.java:60) at
jdk.proxy1/jdk.proxy1.\$Proxy0.execute(Unknown Source) at
org.sonarsource.scanner.api.EmbeddedScanner.doExecute(EmbeddedScanner.java:189) at
org.sonarsource.scanner.api.EmbeddedScanner.execute(EmbeddedScanner.java:138) at
org.sonarsource.scanner.cli.Main.execute(Main.java:126) at
org.sonarsource.scanner.cli.Main.execute(Main.java:81) at
org.sonarsource.scanner.cli.Main.main(Main.java:62) Caused by:
org.springframework.beans.factory.UnsatisfiedDependencyException: Error creating bean with name 'org.sonarsource.scanner.api.internal.IsolatedClassLoader@cd3fee8-org.sonar.scanner.bootstrap.ScannerPluginInstaller': Unsatisfied dependency expressed through constructor parameter 0: Error creating bean with name 'org.sonarsource.scanner.api.internal.IsolatedClassLoader@cd3fee8-org.sonar.scanner.bootstrap.PluginFiles': Unsatisfied dependency expressed through constructor parameter 1: Error creating bean with name 'GlobalConfiguration' defined in org.sonar.scanner.bootstrap.GlobalConfigurationProvider: Unsatisfied dependency expressed through method 'provide' parameter 0: Error creating bean with name 'GlobalServerSettings' defined in org.sonar.scanner.bootstrap.GlobalServerSettingsProvider: Failed to instantiate [org.sonar.scanner.bootstrap.GlobalServerSettings]: Factory method 'provide' threw exception with message: Error 500 on https://scan.appmonitor.co.za/api/settings/values.protobuf : HTTP Status 500 – Internal Server Errorbody {font-family:Tahoma,Arial,sans-serif;} h1, h2, h3, b {color:white;background-color:#525D76;} h1 {font-size:22px;} h2 {font-size:16px;} h3 {font-size:14px;} p {font-size:12px;} a {color:black;} .line {height:1px;background-color:#525D76;border:none;}HTTP Status 500 – Internal Server Error at org.springframework.beans.factory.support.ConstructorResolver.createArgumentArray(ConstructorResolver.java:804) at org.springframework.beans.factory.support.ConstructorResolver.autowireConstructor(ConstructorResolver.java:240) at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.autowireConstructor(AbstractAutowireCapableBeanFactory.java:1382) at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBeanInstance(AbstractAutowireCapableBeanFactory.java:1221) at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(AbstractAutowireCapableBeanFactory.java:565) at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:525) at org.springframework.beans.factory.support.AbstractBeanFactory.lambda\$doGetBean\$0(AbstractBeanFactory.java:333) at org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(DefaultSingletonBeanRegistry.java:371) at org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanFactory.java:331) at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:201) at org.springframework.beans.factory.config.DependencyDescriptor.resolveCandidate(DependencyDescriptor.java:229) at org.springframework.beans.factory.support.DefaultListableBeanFactory.doResolveDependency(DefaultListableBeanFactory.java:1762) at org.springframework.beans.factory.support.DefaultListableBeanFactory.resolveDependency(DefaultListableBeanFactory.java:1651) at org.springframework.beans.factory.support.ConstructorResolver.resolveAutowiredArgument(ConstructorResolver.java:912) at org.springframework.beans.factory.support.ConstructorResolver.createArgumentArray(ConstructorResolver.java:791) ... 30 more Caused by:
org.springframework.beans.factory.UnsatisfiedDependencyException: Error creating bean with name 'org.sonarsource.scanner.api.internal.IsolatedClassLoader@cd3fee8-org.sonar.scanner.bootstrap.PluginFiles': Unsatisfied dependency expressed through constructor parameter 1: Error creating bean with name 'GlobalConfiguration' defined in org.sonar.scanner.bootstrap.GlobalConfigurationProvider: Unsatisfied dependency expressed through method 'provide' parameter 0: Error creating bean with name 'GlobalServerSettings' defined in org.sonar.scanner.bootstrap.GlobalServerSettingsProvider: Failed to instantiate [org.sonar.scanner.bootstrap.GlobalServerSettings]: Factory method 'provide' threw exception with message: Error 500 on https://scan.appmonitor.co.za/api/settings/values.protobuf : HTTP Status 500 – Internal Server Errorbody {font-family:Tahoma,Arial,sans-serif;} h1, h2, h3, b {color:white;background-color:#525D76;} h1 {font-size:22px;} h2 {font-size:16px;} h3 {font-size:14px;} p {font-size:12px;} a {color:black;} .line {height:1px;background-color:#525D76;border:none;}HTTP Status 500 – Internal Server Error at org.springframework.beans.factory.support.ConstructorResolver.createArgumentArray(ConstructorResolver.java:804) at or

g.springframework.beans.factory.support.ConstructorResolver.autowireConstructor(ConstructorResolver.java:240) at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.autowireConstructor(AbstractAutowireCapableBeanFactory.java:1382) at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBeanInstance(AbstractAutowireCapableBeanFactory.java:1221) at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(AbstractAutowireCapableBeanFactory.java:565) at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:525) at org.springframework.beans.factory.support.AbstractBeanFactory.lambda\$doGetBean\$0(AbstractBeanFactory.java:333) at org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(DefaultSingletonBeanRegistry.java:371) at org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanFactory.java:331) at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:201) at org.springframework.beans.factory.config.DependencyDescriptor.resolveCandidate(DependencyDescriptor.java:229) at org.springframework.beans.factory.support.DefaultListableBeanFactory.doResolveDependency(DefaultListableBeanFactory.java:1762) at org.springframework.beans.factory.support.DefaultListableBeanFactory.resolveDependency(DefaultListableBeanFactory.java:1651) at org.springframework.beans.factory.support.ConstructorResolver.resolveAutowiredArgument(ConstructorResolver.java:912) at org.springframework.beans.factory.support.ConstructorResolver.createArgumentArray(ConstructorResolver.java:791) ... 44 more Caused by: org.springframework.beans.factory.UnsatisfiedDependencyException: Error creating bean with name 'GlobalConfiguration' defined in org.sonar.scanner.bootstrap.GlobalConfigurationProvider: Unsatisfied dependency expressed through method 'provide' parameter 0: Error creating bean with name 'GlobalServerSettings' defined in org.sonar.scanner.bootstrap.GlobalServerSettingsProvider: Failed to instantiate [org.sonar.scanner.bootstrap.GlobalServerSettings]: Factory method 'provide' threw exception with message: Error 500 on https://scan.appmonitor.co.za/api/settings/values.protobuf : HTTP Status 500 – Internal Server Errorbody {font-family:Tahoma,Arial,sans-serif;} h1, h2, h3, b {color:white;background-color:#525D76;} h1 {font-size:22px;} h2 {font-size:16px;} h3 {font-size:14px;} p {font-size:12px;} a {color:black;} .line {height:1px;background-color:#525D76;border:none;}HTTP Status 500 – Internal Server Error at org.springframework.beans.factory.support.ConstructorResolver.createArgumentArray(ConstructorResolver.java:804) at org.springframework.beans.factory.support.ConstructorResolver.instantiateUsingFactoryMethod(ConstructorResolver.java:546) at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.instantiateUsingFactoryMethod(AbstractAutowireCapableBeanFactory.java:1362) at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBeanInstance(AbstractAutowireCapableBeanFactory.java:1194) at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(AbstractAutowireCapableBeanFactory.java:565) at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:525) at org.springframework.beans.factory.support.AbstractBeanFactory.lambda\$doGetBean\$0(AbstractBeanFactory.java:333) at org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(DefaultSingletonBeanRegistry.java:371)) at org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanFactory.java:331) at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:201) at org.springframework.beans.factory.config.DependencyDescriptor.resolveCandidate(DependencyDescriptor.java:229) at org.springframework.beans.factory.support.DefaultListableBeanFactory.doResolveDependency(DefaultListableBeanFactory.java:1762) at org.springframework.beans.factory.support.DefaultListableBeanFactory.resolveDependency(DefaultListableBeanFactory.java:1651) at org.springframework.beans.factory.support.ConstructorResolver.resolveAutowiredArgument(ConstructorResolver.java:912) at org.springframework.beans.factory.support.ConstructorResolver.createArgumentArray(ConstructorResolver.java:791) ... 58 more Caused by: org.springframework.beans.factory.BeanCreationException: Error creating bean with name 'GlobalServerSettings' defined in org.sonar.scanner.bootstrap.GlobalServerSettingsProvider: Failed to instantiate [org.sonar.scanner.bootstrap.GlobalServerSettings]: Factory method 'provide' threw exception with message: Error 500 on https://scan.appmonitor.co.za/api/settings/values.protobuf : HTTP Status 500 – Internal Server Errorbody {font-family:Tahoma,Arial,sans-serif;} h1, h2, h3, b {color:white;background-color:#525D76;} h1 {font-size:22px;} h2 {font-size:16px;} h3 {font-size:14px;} p {font-size:12px;} a {color:black;} .line {height:1px;background-color:#525D76;border:none;}HTTP Status 500 – Internal Server Error at org.springframework.beans.factory.support.ConstructorResolver.instantiate(ConstructorResolver.java:657) at org.springframework.beans.factory.support.ConstructorResolver.instantiateUsingFactoryMethod(ConstructorResolver.java:645) at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.instantiateUsingFactoryMethod(AbstractAutowireCapableBeanFactory.java:1362) at org.springframework.beans.factory.s

upport.AbstractAutowireCapableBeanFactory.createBeanInstance(AbstractAutowireCapableBeanFactory.java:1194) at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(AbstractAutowireCapableBeanFactory.java:565) at org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:525) at org.springframework.beans.factory.support.AbstractBeanFactory.lambda\$doGetBean\$0(AbstractBeanFactory.java:333) at org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(DefaultSingletonBeanRegistry.java:371) at org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanFactory.java:331) at org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:201) at org.springframework.beans.factory.config.DependencyDescriptor.resolveCandidate(DependencyDescriptor.java:229) at org.springframework.beans.factory.support.DefaultListableBeanFactory.doResolveDependency(DefaultListableBeanFactory.java:1762) at org.springframework.beans.factory.support.DefaultListableBeanFactory.resolveDependency(DefaultListableBeanFactory.java:1651) at org.springframework.beans.factory.support.ConstructorResolver.resolveAutowiredArgument(ConstructorResolver.java:912) at org.springframework.beans.factory.support.ConstructorResolver.createArgumentArray(ConstructorResolver.java:791) ... 72 more Caused by: org.springframework.beans.BeanInstantiationException: Failed to instantiate [org.sonar.scanner.bootstrap.GlobalServerSettings]: Factory method 'provide' threw exception with message: Error 500 on https://scan.appmonitor.co.za/api/settings/values.protobuf : HTTP Status 500 – Internal Server Errorbody {font-family:Tahoma,Arial,sans-serif;} h1, h2, h3, b {color:white;background-color:#525D76;} h1 {font-size:22px;} h2 {font-size:16px;} h3 {font-size:14px;} p {font-size:12px;} a {color:black;} .line {height:1px;background-color:#525D76;border:none;}HTTP Status 500 – Internal Server Error at org.springframework.beans.factory.support.SimpleInstantiationStrategy.lambda\$instantiate\$0(SimpleInstantiationStrategy.java:183) at org.springframework.beans.factory.support.SimpleInstantiationStrategy.instantiateWithFactoryMethod(SimpleInstantiationStrategy.java:72) at org.springframework.beans.factory.support.SimpleInstantiationStrategy.instantiate(SimpleInstantiationStrategy.java:152) at org.springframework.beans.factory.support.ConstructorResolver.instantiate(ConstructorResolver.java:653) ... 86 more Caused by: org.sonarqube.ws.client.HttpException: Error 500 on https://scan.appmonitor.co.za/api/settings/values.protobuf : HTTP Status 500 – Internal Server Errorbody {font-family:Tahoma,Arial,sans-serif;} h1, h2, h3, b {color:white;background-color:#525D76;} h1 {font-size:22px;} h2 {font-size:16px;} h3 {font-size:14px;} p {font-size:12px;} a {color:black;} .line {height:1px;background-color:#525D76;border:none;}HTTP Status 500 – Internal Server Error at org.sonarqube.ws.client.BaseResponse.failIfNotSuccessful(BaseResponse.java:36) at org.sonar.scanner.http.DefaultScannerWsClient.failIfUnauthorized(DefaultScannerWsClient.java:129) at org.sonar.scanner.http.DefaultScannerWsClient.call(DefaultScannerWsClient.java:88) at org.sonar.scanner.repository.settings.AbstractSettingsLoader.load(AbstractSettingsLoader.java:60) at org.sonar.scanner.repository.settings.DefaultGlobalSettingsLoader.loadGlobalSettings(DefaultGlobalSettingsLoader.java:35) at org.sonar.scanner.bootstrap.GlobalServerSettingsProvider.provide(GlobalServerSettingsProvider.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source) at java.base/java.lang.reflect.Method.invoke(Unknown Source) at org.springframework.beans.factory.support.SimpleInstantiationStrategy.lambda\$instantiate\$0(SimpleInstantiationStrategy.java:155) ... 89 more ERROR: ERROR: Re-run SonarScanner using the -X switch to enable full debug logging.

Scan Output

```
INFO: Scanner configuration file: /opt/sonar-scanner/conf/sonar-scanner.properties INFO:
Project root configuration file:
/home/batmin/projects/sonar_scan/repos/sawis_api/sonar-project.properties INFO: SonarScanner
5.0.1.3006 INFO: Java 17.0.7 Eclipse Adoptium (64-bit) INFO: Linux 6.8.0-106-generic amd64
INFO: User cache: /home/batmin/projects/sonar_scan/.sonar_cache/cache INFO: Analyzing on
SonarQube server 26.2.0.119303 INFO: Default locale: "en_US", source code encoding: "UTF-8"
(analysis is platform dependent) WARN: Java 17 scanner support ends with SonarQube 2026.3 (July
2026). Please upgrade to Java 21 or newer, or use JRE auto-provisioning to keep this
requirement always up to date. INFO: Load global settings INFO:
----- INFO: EXECUTION
FAILURE INFO: ----- INFO:
Total time: 10.124s INFO: Final Memory: 8M/48M INFO:
-----
```